

# TOURMASTER RISER



## *The perfect riser for choirs on the go.*

Tourmaster is the only choral riser truly designed to go where choirs go. Whether it's up stairs or around tight corners, each Tourmaster choral riser folds up flat and rolls with the stability and ease of a two-wheel cart. They're easy for anyone to maneuver, transport and set-up. Once in place, it takes just 10 seconds to unfold and lock into the upright position. And the Tourmaster Cart is the ideal tool for moving and storing multiple risers. Each cart holds up to four Tourmaster choral risers, backrails and 4th-step additions - the perfect solution for choirs that travel across the hall or across the country. No other comparable riser sets up so easily or stores in less space.

Tourmaster steps come in either 18 inch or 24 inch depths for performers of all ages. Optional backrails and siderails provide added security and a refined look. And like all Wenger products, Tourmaster is built extremely tough to ensure solid performances, year after year.

Wenger®

1 - 8 0 0 - 7 3 3 - 0 3 9 3

# TOURMASTER RISER



24" 3-STEP 4'7" (140CM) TOURMASTER SETS		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
8-12	1	4'7" w X 6'2" d (1.4m X 1.9m)
16-24	2	9'2" w X 6'6" d (2.8m X 2m)
24-36	3	13'6" w X 6'10" d (4.1m X 2.1m)
32-48	4	17'10" w X 7'7" d (5.6m X 2.3m)
40-60	5	21'10" w X 8'2" d (6.7m X 2.5m)
48-72	6	25'8" w X 9'3" d (7.8m X 2.8m)
56-84	7	29'2" w X 10'2" d (8.9m X 3.1m)
64-96	8	32'3" w X 11'6" d (9.8m X 3.5m)

18" 3-STEP 4' (122CM) TOURMASTER SETS		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
8-12	1	4'3" w X 4'8" d (1.3m X 1.4m)
16-24	2	8'6" w X 5' d (2.6m X 1.5m)
24-36	3	12'7" w X 5'4" d (3.8m X 1.6m)
32-48	4	16'8" w X 6'1" d (5.1m X 1.9m)
40-60	5	20'4" w X 6'8" d (6.2m X 2m)
48-72	6	23'10" w X 7'8" d (7.3m X 2.3m)
56-84	7	27' w X 8'8" d (8.2m X 2.6m)
64-96	8	30' w X 9'11" d (9.1m X 3m)

18" 3-STEP 6' (183CM) TOURMASTER SETS		
GROUP CAPACITY*	UNITS NEEDED	SPACE REQUIRED
12-16	1	6' w X 4'7" d (1.8m X 1.4m)
24-32	2	11'10" w X 5'5" d (3.6m X 1.7m)
36-48	3	17'5" w X 6'1" d (5.3m X 1.9m)
48-64	4	22'5" w X 7'7" d (6.8m X 2.3m)
60-80	5	26'10" w X 8'10" d (8.2m X 2.7m)
72-96	6	30'7" w X 10'10" d (9.3m X 3.3m)
84-112	7	33'5" w X 12'7" d (10.2m X 2.8m)
96-128	8	35'5" w X 15'2" d (10.8m X 4.6m)

4-foot (122cm) Tourmaster is recommended for easier traveling. 18" 4-foot (122cm), 4th-step addition will add space for 3-4 performers per unit. 24" (61cm), 4th-step addition will add space for 3-4 performers per unit. 18" 6-foot (183cm), 4th-step addition will add space for 4-5 performers per unit.

\*First number indicates how many high school students will fit on a riser set if all students stand shoulder to shoulder. Second number indicates how many students will fit on a riser set if they are all facing center with shoulders overlapping. Numbers include a row of students standing on the floor. Adult groups should use the first, or lower, number.

The 6' x 18" (183 cm x 46cm) Tourmaster accommodates 12 - 16 choir members.

The 4' x 18" and 24" (122cm x 46cm and 61 cm) Tourmaster accommodates 8 - 12 choir members.



## Tourmaster Backrails and Siderails



Backrail Swing Bracket

Siderail Swing Bracket

Numbers vary depending on the physical size of members, overlapping shoulders and the use of the ground as an additional row. As a general rule, adult choirs should work with the smaller capacity number.

Note: Choral risers are not designed for dance or active choreography.

Optional backrails and siderails are recommended for added security. They attach quickly and securely with swing brackets and without the need for tools.

An optional 4th-step addition is available for all Tourmaster Choral Risers. The 4th-step addition attaches to each corresponding Tourmaster Riser with integral leg clamps, without the need for tools.

## Tourmaster 4th-Step Addition



Wenger®

1 - 8 0 0 - 7 3 3 - 0 3 9 3

# TOURMASTER RISER

*Pops up in just 10 seconds.*



Four-foot Tourmaster rolls smoothly and securely down the hall, around tight corners, even down stairs.



For set-up, Tourmaster unfolds easily like an accordion.



Just step on the frame and lift. The wheels give you leverage and power, and quickly lock the riser into the upright position.



Once set up, Tourmaster is as solid and stable as heavier fold-and-roll risers.



Take down is just as easy. Just activate the foot-pedal release, push and let down.

CALL FOR A VIDEO, SEE FOR YOURSELF HOW EASY TOURMASTER IS TO MOVE AND SET-UP.

## Tourmaster Cart

*Perfect for moving and storing in your facility or traveling across the country.*



Tourmaster carts are available for 4' and 6' 18" steps, as well as the 24" step Tourmaster riser.



Carts have heavy-duty swivel casters for easy maneuverability and four pairs of Swing Arms that pivot outward for loading risers.



The Tourmaster cart holds up to four risers including four backrails and four 4th-step additions.



Backrails nest together on Backrail Supports for storage or transport.



Risers stack easily, by alternating the direction of the riser positioning wheels.



Each Swing Arm lifts upward and pivots outward for stacking each riser then inserts into holding sockets for a secure fit.



Four 4th-step additions can be stacked on top of the fourth Swing Arm then attached securely to the cart frame with buckled straps.

Wenger®

1 - 8 0 0 - 7 3 3 - 0 3 9 3

# TOURMASTER RISER



## TOURMASTER RISER SPECIFICATIONS:

- One-piece design makes set-up extremely fast (10 seconds).
- Easily travels up and down stairs and around tight corners.
- Foot pedal activated cross brace locks or releases leg structure automatically.
- One person set-up for four-foot model; two people recommended for six-foot model.
- Quality construction stands up to years of rough treatment.
- Narrow footprint for compact storage.
- Heavy-duty wheels and built-in stair glides.
- Grey metallic powder-coat finish.
- Grey carpeted steps.
- Steps are bolted to understructure for maximum security and reduced riser noise.
- 3-step/18"-deep model available in 4' (122cm) and 6' (183cm) lengths, both with optional 4th-step addition.
- 3-step/24"-deep model available in 4'7" (140cm) length with optional 4th-step addition.
- Swing brackets attach the 4th-step addition to each choral riser without the need for tools.
- Steps can be removed and reversed to create semi-circular or straight arrangements as group size changes.
- Optional backrail and new siderail available for all models.
- Backrails comply with OSHA standards and can extend the full riser width to create a continuous backrail when multiple units are placed side-by-side.
- 3-year warranty against defects in materials and workmanship.
- Patented and patent pending.



## TOURMASTER CART SPECIFICATIONS:

- Cart holds up to four Tourmaster risers, four backrails and four 4th-step additions.
- Buckled straps attach 4th-step additions securely to cart frame.
- Backrails nest together on backrail supports.
- 6" (15 cm) diameter casters, all 4 casters swivel.
- Cart is steel construction with black baked on powder paint.
- Lift and rotate swing arms move out of the way to allow risers to be easily loaded and unloaded.
- Three cart sizes:  
Cart for 6' Tourmaster risers with 18" steps, Part number: 024F950  
Cart for 4' Tourmaster risers with 18" steps, Part number: 024F951  
Cart for 4'7" Tourmaster risers with 24" steps, Part number: 024F952
- Fits through a standard 36" (91 cm) doorway – 24" (61 cm) riser requires 40" (102cm) doorway.

# Wenger®

**WENGER CORPORATION**  
555 Park Drive, P.O. Box 448  
Owatonna, MN 55060-0448

**UNITED STATES**  
Phone: 1-800-733-0393  
Fax: 1-507-455-4258  
Customer Service: 1-800-887-7145

**CENTRAL CANADA**  
Phone: 1-800-268-0148  
Fax: 1-416-754-3996

**WESTERN CANADA**  
Phone: 1-877-990-4040  
Fax: 1-416-754-3996

**QUÉBEC AND EASTERN CANADA**  
Phone: 1-800-411-5600  
Fax: 1-416-754-3996

**Worldwide**  
Phone: 1-507-455-4100  
Fax: 1-507-444-0685

**Web Site**  
[www.wengercorp.com](http://www.wengercorp.com)

1 - 8 0 0 - 7 3 3 - 0 3 9 3

©2004 Wenger Corporation  
USA/3-04/2M/W/LT0093D